

CHM 151 Exam 2: Chapters 7, 10, and Nomenclature

1. (8 pts) Write the correct formula for the following compounds:

- a. ammonium fluoride _____
 b. diphosphorous pentasulfide _____
 c. hydrochloric acid _____
 d. magnesium chlorite _____

2. (8 pts) Write the correct name for the following compounds:

- a. CoP _____
 b. SO₂ _____
 c. CaBr₂ _____
 d. HNO₃ (aq) _____

3. (4 pts) What charge will the following atoms have when they become ions?

- a. Ca _____ b. Cl _____ c. K _____ d. Ga _____

4. (6 pts) Circle all of the following compounds that are *covalent*:

Li₂O N₂O₃ MnS IBr CaS PF₅

___ 5. (4 pts) The measure of attraction that an atom has for the electrons in a covalent bond is called

- a. electron affinity
 b. ionization energy
 c. hybridization
 d. electronegativity
 e. London forces

6. (4 pts) Indicate the polarity of each covalent bond using an arrow and delta notation (δ^- or δ^+):

H—C

N—F

Cl—I

P—Cl

___ 7. (4 pts) The Lewis structure for phosphine, PH₃, has

- a. 3 bonding pairs
 b. 3 bonding pairs and 1 lone pair
 c. 2 bonding pairs and 2 lone pairs
 d. 4 bonding pairs
 e. 4 lone pairs

8. (5 pts) Which of the molecules below would have the same Lewis Dot Structure as ClO₃⁻? Circle all that apply. Hint: You do not need to draw the structures to answer this question.

IO₃⁻

CO₃²⁻

BrO₃⁻

SO₃

SO₃²⁻

___ 9. (4 pts) Which bond should be the longest?


- a. N – N
- b. N = N
- c. N \equiv N
- d. They should all be the same length.

10. (6 pts) Indicate whether each statement is true (T) or false (F).

- T F Carbon can have an expanded octet.
- T F In general, triple bonds are stronger than single bonds.
- T F A molecule with AB₃E notation has 3 electron domains and will have trigonal planar geometry.
- T F Pi bonds are formed from unhybridized *s* orbitals.
- T F A triple bond contains 1 σ bond and 2 π bonds.
- T F Liquids with *higher* vapor pressures boil at *higher* temperatures compared with liquids with lower vapor pressures.

___ 11. (4 pts) Which answer correctly states the approximate (\sim) values of the bond angles, a and b, in the ion illustrated below?

- a. a is $\sim 90^\circ$ and b is $\sim 180^\circ$
- b. a is $\sim 109.5^\circ$ and b is $\sim 109.5^\circ$
- c. a is $\sim 109^\circ$ and b is $\sim 120^\circ$
- d. a is $\sim 120^\circ$ and b is $\sim 109.5^\circ$
- e. a is $\sim 109.5^\circ$ and b is $\sim 180^\circ$



12. (3 pts) Indicate the hybridization of a central atom with the following number of electron (e-) domains:

2 e- domains: _____ 5 e- domains: _____ 6 e- domains: _____

13. (10 pts) Please draw all possible Lewis Dot Structures for IO₂⁻ and answer the following questions:

ABE notation: _____ Number of electron domains: _____

Molecular shape: _____ Is the molecule polar (Circle one)? Yes No

What is the bond angle? _____

What is the hybridization of the central atom: _____

How many sigma (σ) and pi (π) bonds are there? _____ σ _____ π

Name: _____

Section: _____

14. (13 pts) Please draw all possible Lewis Dot Structures for SO_3 and answer the following questions:

ABE notation: _____ Number of electron domains: _____
Molecular shape: _____ Is the molecule polar (Circle one)? Yes No
What is the bond angle? _____
What is the hybridization of the central atom: _____
How many sigma (σ) and pi (π) bonds are there? _____ σ _____ π

15. (5 pts) Identify the **strongest type** of intermolecular force in each of the following (London, Dipole-Dipole, Hydrogen Bridging, or Ion-Ion). Use these substances to answer the next 2 questions.

NaCl _____ NH_3 _____
 CO_2 _____ CH_2O _____
 C_2H_6 _____

16. (2 pts) Which of the substances (from the question above) should have the **highest** boiling point? _____

17. (2 pts) Which of the substances (from the same list) should have the **highest** vapor pressure? _____

___ 18. (4 pts) The measure of a liquid's resistance to flow is
a. London forces
b. Dipole-Dipole forces
c. viscosity
d. vapor pressure
e. surface tension

___ 19. (4 pts) When a gas becomes a solid, the phase change is called _____.
a. sublimation
b. deposition
c. vaporization
d. freezing
e. melting

Extra Credit: (5 pts) Draw a phase diagram that meets the following criteria: normal melting point is 10°C , normal boiling point is 50°C , triple point is at 0.5 atm of pressure and 5°C , and the solid phase is more dense than the liquid phase. Label the phases and axes. Indicate approximate pressure (in atm) and temperature (in $^\circ\text{C}$) values on the axes. (You may use the back of the paper if you need more room – just tell me to look there!)